ITPassLeader



Instant Download | 365 Days Free Updates | Money Back Guarantee | Security & Privacy

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarante in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

http://www.itpassleader.com

High-praise Exam Dumps Questions grant you success by high pass rate - ITPassLeader

Exam : **HAT-420**

Title : Hitachi Data Systems Certified Professional - Modular storage installation

Vendor : Hitachi

Version : DEMO

NO.1 Which three operations are allowed after enabling security on a Hitachi Unified Storage system Fibre
Channel (FC) port? (Choose three.)
A. Add multiple WWNs to one Host Group.
B. Add the same WWN to multiple Host Groups on the same FC port.
C. Create a Host Group with two different host connection modes.
D. Add a LU to two different Host Groups behind two different ports.
E. Create Host Groups with different host connection modes on the same FC port.
Answer: A,D,E

NO.2 Which two operations can be performed using Storage Navigator Modular 2 on a Hitachi Unified Storage system? (Choose two.)
A. Create Logical Units.
B. Run the Initial Setup Wizard.
C. Display Disk Management properties.
D. Set persistent binding.
Answer: A,B

NO.3 You need to replace the Controller Unit and the ENC Unit online on a Hitachi Unified Storage system.
Which statement is correct about online replacement times?
A. within 8 minutes for the Controller Unit and within 10 minutes for the ENC
B. within 10 minutes for the Controller Unit and within 8 minutes for the ENC
C. both Controller Unit and ENC within 8 minutes each
D. both Controller Unit and ENC within 10 minutes each
Answer: D

NO.4 You are upgrading a Hitachi Unified Storage (HUS) system with the File Module option. Which combination is required to support this upgrade?
A. FC connectivity between the HUS and the File Module plus the Hitachi BOS F software bundle
B. 10GbE connectivity between the HUS and the File Module plus the Hitachi BOS M software bundle
C. FCoE connectivity between the HUS and the File Module plus the Hitachi BOS F software bundle
D. FC connectivity between the HUS and the File Module plus the Hitachi BOS N software bundle
Answer: A

NO.5 A customer wants to migrate Hitachi AMS2300 data to a newly acquired Hitachi Unified Storage (HUS)
system. Which statement about the migration is correct?
A. Modular Volume Migration can be used.
B. TrueCopy or TrueCopy Extended Distance can be used.
C. The Data Migration license key is required on both sides.
D. The Data Migration license key is only required on the HUS.
Answer: B

NO.6 What must be installed on an AIX server prior to Hitachi Dynamic Link Manager Installation?
A. MPXIO
B. HACMP

C. HTnM agent
D. Hitachi ODM
Answer: D

NO.7 A customer has multiple cache partitions defined on a Hitachi Unified Storage system. They would like to
change one of the partitions characteristics. Which three settings can be modified? (Choose three.)
A. stripe size
B. cache size
C. segment size
D. partition number
E. owning controller
Answer: B,C,E

NO.8 A customer would like to deploy a clustered File Module option on their Hitachi Unified Storage system.
What is a valid connection for the cluster interconnect?
A. 1Gb Ethernet
B. 16Gb Fibre Channel
C. 10Gb Ethernet
D. 8Gb Fibre Channel
Answer: C

NO.9 A customer has a Hitachi Unified Storage (HUS) system model 110 configured with iSCSI I/O interface
boards. They now want to connect it to a FC-SAN and have purchased the FC-Option upgrade to do so.
Which two tasks must be performed on the HUS system? (Choose two.)
A. Set the HUS FC port topology as Fabric.
B. Set the HUS FC port topology as Point-to-Point.
C. Install and enable the FC-Option on the HUS.
D. Install and enable the FC Expansion Board.
Answer: B,C

NO.10 You must install Hitachi Dynamic Link Manager (HDLM) on a customer's server but you are not sure if the
server HBA types and versions are supported. Which two actions would help you find this information?
(Choose two.)
A. Check the HDLM release notes.
B. Call the HDS Customer Support Center.
C. Check the HDLM Concepts and Planning Guide.
D. Access the HiFire Web site to verify the configuration.
Answer: A,D