

ITPassLeader



Pass Your Next Certification Exam Fast!

Select a vendor... Select an test... Your email address [Free Download Demo](#)



Instant Download



365 Days Free Updates



Money Back Guarantee



Security & Privacy

Choose the version that fits your needs

PDF Version

Desktop Test Engine

Online Test Engine

Latest and Up-to-Date exam dumps with real exam questions answers.



Get 12-Months free updates without any extra charges.



Experience same exam environment before appearing in the certification exam.



100% exam passing guarantee in the first attempt.



20% discount on more than one license and 30% discount on 5+ license purchases.



100% secure purchase on SSL.



Completely private purchase without sharing your personal info with anyone.



<http://www.itpassleader.com>

High-praise Exam Dumps Questions grant you success by high pass rate - ITPassLeader

Exam : **VCP550D**

Title : VMware Certified Professional
5 - Data Center Virtualization
Delta Exam

Vendor : VMware

Version : DEMO

NO.1 A vSphere administrator has been using vSphere in evaluation mode and now wants to deploy an environment that provides the same features.

Which edition of vSphere provides similar functionality to evaluation mode?

- A. Enterprise Plus
- B. Enterprise
- C. Standard
- D. Essentials

Answer: A

NO.2 Which minor badge scores are used to calculate the Health score in vCenter Operations Manager?

- A. Time remaining, Capacity remaining, Stress
- B. Workload, Anomalies, Faults
- C. Stress, Faults, Risk
- D. Reclaimable Waste, Density

Answer: B

NO.3 An administrator is setting up a new vSphere environment for application development with health monitoring and capacity management. The administrator has purchased three servers for the initial install. The administrator is NOT planning to grow the environment and needs to keep costs as low as possible.

Which vSphere kit should the administrator use to meet these requirements?

- A. vSphere Essentials Kit
- B. vSphere Essentials Plus Kit
- C. vSphere with Operations Management Standard Acceleration Kit
- D. vSphere with Operations Management Enterprise Acceleration Kit

Answer: C

NO.4 What are two requirements for a fully functional vSphere HA cluster? (Choose two.)

- A. vCenter installed or a vCenter Server Virtual Appliance (vCSA) deployed .
- B. Access to local storage for each host in the cluster.
- C. Static IP addresses entered in each hosts file in the cluster.
- D. A minimum of one VMkernel port per host.

Answer: A,D

Reference: <http://www.lazywinadmin.com/2013/03/deploying-and-configuring-vcenter.html>

NO.5 Which controller is recommended for high disk I/O workloads?

- A. BusLogic Parallel
- B. LSI Logic Parallel
- C. LSI Logic SAS
- D. VMware Paravirtual

Answer: D


NO.6 An administrator is creating a vApp for a multi-tiered application and needs to configure custom startup actions for each virtual machine.

What should the administrator do to enable this functionality?

- A. Verify that VMware Tools is installed on each virtual machine in the vApp.
- B. Ensure all virtual machines in the vApp are running hardware version 8 or later.
- C. Configure custom startup actions on the virtual machines, then add them to the vApp.
- D. Deploy a vSphere Management Assistant in the cluster and enable the vApp plug-in.

Answer: A

NO.7 A vSphere administrator has a 4 host DRS cluster with plans to grow to 8 hosts. During a vMotion migration, the following error is displayed: -- Exhibit -



-- Exhibit -


What action could be taken to resolve the issue?

- A. Ensure all hosts in the cluster contain only Intel or AMD CPUs
- B. Choose Reset all to Default in the CPU Identification Mask of the VM
- C. Verify and correct the vmkernel port settings for the vMotion network
- D. Configure the DRS Migration Threshold to the most conservative setting

Answer: B

NO.8 A security audit has revealed that a virtual machine on vSwitch1 is receiving all traffic sent to the virtual switch, violating corporate policy. The vSphere administrator examines the properties for vSwitch1, as shown in the exhibit:

-- Exhibit --- Exhibit -



Which configuration explains why the virtual machine is receiving all traffic sent to vSwitch1?

- A. The Production port group has the Promiscuous Mode policy set to Accept.
- B. vSwitch1 has the Promiscuous Mode policy set to Reject.
- C. The Network Failure Detection policy on the Production port group is set to Link Status plus Beacons.
- D. The Network Failure Detection policy on vSwitch1 is set to Link Status only.

Answer: A

NO.9 An administrator is evaluating whether to deploy vCenter Server on a Windows server or on a vCenter Server appliance. The administrator has the following requirements:

A web browser will be utilized to manage the vSphere environment.

16 ESXi hosts will be deployed.

Licenses must be shared with a vCenter Server at another site.

An external Oracle 10g database server will be used to host the vCenter Server database.

Why will the administrator need to deploy vCenter Server on a Windows server?

- A. Linked Mode is a requirement for the solution.
- B. Oracle 10g is a requirement for the solution.
- C. The vSphere web client is a requirement for the solution.
- D. Management of more than 5 hosts is a requirement for the solution.

Answer: A

NO.10 During a physical network reconfiguration, an ESXi host briefly lost connection to the management network. High Availability (HA) began powering off the virtual machines residing on the affected host to be restarted on an unaffected host in the cluster.


Which setting should the administrator configure to prevent this behavior in the future?

- A. Host isolation response
- B. Host monitoring
- C. VM monitoring
- D. Admission control

Answer: A

NO.11 The vSphere administrator is configuring directory services for an ESXi host:

-- Exhibit -



-- Exhibit -

What should the vSphere administrator do to configure the host to use CAM services?

- A. Check the Use vSphere Authentication Proxy checkbox.
- B. Set Select Directory Service Type to CAM services.
- C. Specify CAM\$ for the Domain.
- D. Set Trusted Domains to cam\name.tld where name.tld is the domain that the host is joining.

Answer: A

NO.12 Which statement is true about the hardware configuration for ESXi hosts participating in a virtual SAN?

- A. The hosts must have identical hardware.
- B. Each host must have at least one Solid State Drive (SSD).
- C. The hosts must have network attached storage.
- D. Each host must have a RAID Controller.

Answer: B

NO.13 Which statement is accurate when choosing the storage controller for a virtual machine using the Create New Virtual Machine wizard in custom mode?

- A. There is a predetermined controller based on the guest OS, which cannot be changed.
- B. A controller is recommended based on the guest OS type. The administrator can choose this controller or select any other.
- C. There is a predetermined controller based on the guest OS, which can only be changed after the virtual machine is deployed.
- D. The controller options presented will be based on the guest OS type. The administrator must choose one of these options.


Answer: B

NO.14 Why would an administrator be unable to locate an IP address for a vSphere vmnic uplink?

- A. IP addresses are defined at the virtual nic level, not the vmnic level.
- B. ESXi host vmnics communicate with physical switches on layer 3.
- C. ESXi hosts use NAT translation to mask the actual vmnic IP address.
- D. The IP address of the vmnic is not shown in the vSphere Client.

Answer: A

NO.15 -- Exhibit --- Exhibit -



What action should the vSphere administrator take to allow for a new vApp to be created in the cluster?

- A. Enable Distributed Resource Scheduling on the cluster
- B. Create a Resource Pool in the cluster, and create the vApp in the Resource Pool
- C. Enable High Availability on the cluster
- D. Create a new Datacenter, and create the vApp in the new Datacenter

Answer: A